

SAFETY-WAY™

1810 - 15th Avenue • Rockford, IL 61104
Phone: 800/894-7233 • Fax: 800/721-7216
National Sales and Environmental
Management Office

Catalog 2005

The Industry Standard for Hazmat Containment



- Safety Cans
- Cabinets
- Accessories

Used in...
Industry
Manufacturing
Construction
Mining
Transportation
Highway Maintenance
Farm
Home
Recreation

www.safewayproductsinc.com

Type I - Type II - Transport - Hazcan - Faucet - Disposal - Accessories

SAFE-T-WAY is your best value when concern for your liability due to an explosion of flammable vapors, or spread of an accelerant from cheap containers, leads you to rely on more than just our UL & FM marks on a NFPA 30 safety can.



Vapors from gasoline and other flammables stored in cheap metal or plastic containers can explode with the destructive force of dynamite.

SAFE-T-WAY containers are specially designed to store flammable liquids and automatically relieve the build-up of internal pressure, preventing explosion and personal injury... Even in a burning inferno.

SAFE-T-WAY safety cans are unmatched for safety, quality, and value. SAFE-T-WAY cans are made from corrosion-resistant premium grade terne-plate steel, with exclusive PRC exterior coating to ensure a durable finish and long life.

Our cans feature an adjustable one-hand pour control, automatic spring closing lid, exclusive integral pour valve

and patented spray deflector cap, full flow flash arrestors, completely enclosed pouring system, heavy-gauge electrically welded seams, a cork-rubber cap gasket. Every SAFE-T-WAY can is pressure tested at least twice to ensure quality.

SAFE-T-WAY is the leader in meeting specifications and developing advanced fire combatant technology. Under estimating the value and importance of a true safety can lead you to use an unsafe alternative. Protect yourself the SAFE-T-WAY with our NFPA-30, ANSI/UL30, FM, D.O.T., and OSHA compliant cans.

Safety & Transport Cans

Type II - Safety Pour Storage Cans

SAFE-T-WAY's Type II containers are designed specifically for safely pouring flammable liquids without the spills. Made of high quality 22 gauge terne plate steel. Type II cans have two openings. One opening with a spring loaded cap is for filling. The second opening has a pour mechanism mounted over it which provides totally enclosed vapor control flexible nozzle with spark-proof brass tip for accurate pouring. Pour mechanism also has an automatic integral vacuum relief vent that protects from implosion. We offer two unique styles to choose from. SP series offers a ergonomic one-hand pour control made of zinc cast with our patented spray deflector style cap for filling. Our new economical SC Series is designed with all steel carry handle which lends to a completely different pouring style. SC Series has a traditional style spring loaded fill cap. Both designs meet all requirements of ANSI, NFPA 30, OSHA-29 CFR 1910.106, 1925.152 and are FM approved, UL 30 listed (SP Series) also has ULC listing.

Standard Handle



Model No.	Cap. Gallons	Dia.	HT.	Standard Hose	Approval Listing
SP 200	1	9"	12"	6" (R3406)	FM, UL, ULC
SP 202	2	9"	16.25"	6" (R3406)	FM, UL, ULC
SP 250	2.5	12"	14.50"	9" (R3409)	FM, UL, ULC
SP 203	3	12"	15.50"	9" (R3409)	FM, UL, ULC
SP 205	5	12"	19.50"	9" (R3409)	FM, UL, ULC

ADDITIONAL COLORS AVAILABLE
 Diesel - Yellow • Kerosene - Blue
 Pesticide - Green

Tubular Handle



Model No.	Cap. Gallons	Dia.	HT.	Standard Hose	Approval Listing
SC 2000	1	9"	10.25"	6" (R3406)	FM, UL
SC 2020	2	9"	15"	6" (R3406)	FM, UL
SC 2025	2.5	12"	13.25"	9" (R3409)	FM, UL
SC 2030	3	12"	14.25"	9" (R3409)	FM, UL
SC 2050	5	12"	18"	9" (R3409)	FM, UL

ADDITIONAL COLORS AVAILABLE
 Diesel - Yellow • Kerosene - Blue
 Pesticide - Green

1. One Hand Pour Control —

Exclusive design provides fingertip control of liquid flow rate and pouring volume. Ergonomic design allows for easy lifting and tilting of the can by eliminating the two arms, shoulders and back muscles from working against each other.



2. Reliable Double Torsion Spring —

Is the most important first line of defense in preventing an explosion or flash back into the gas can during fire exposure. Automatically relieves internal pressure — preventing can explosion — even in a fire. Spout cover spring guaranteed to hold explosive vapor at 3 psi min. and is tested 10,000 cycles fully opened and closed: "A lifetime of safety."



3. Spray Deflector Spout Cover —

Our exclusive patented spray deflector is the first fire combatant development since the inception of fire cans. Unlike plain covers on other cans, the spray deflector combats the outward spray of contents by forcing spray downward, helping prevent the spread of fire. Only SAFE-T-WAY offers this patented feature. Our spout cover is "fire tested to vent safely."



4. Full Flow Flash Arrestor —

Protects flammable contents from external sparks or flames. Full-flow design allows for faster filling at the gas pump and prevents annoying nozzle click-off. Quarter-turn cam locking ring meets the requirement to be replaceable and secure in place.



5. Vapor Control Flexible Nozzle —

Directs the flow to control spilling and the escape of toxic vapors. A brass tip prevents sparking or static build up, thus eliminating the hazard of plastic.



6. Baked High Gloss Coloresin® Corrosion Protected Steel —

Solvent-resistant Dura-Clad Coloresin® Coating over premium automotive grade terne plate gas tank steel ensures durability, solvent resistance and long life — it will retain a major portion of its flammable contents even after a fire, unlike any plastic container.



Type I - Safety Storage Cans

SAFE-T-WAY's Type I, high quality terne plate safety cans offer - a single spring closing spout cover for both filling and pouring and one hand opening actions to relieve internal vapor pressure before pouring. Type I cans are designed specifically for storage of flammable liquids. We offer two great designs in our 1 to 5 gallon cans: The standard, cast iron handle (SS Series), which offers convenient one hand pouring and our more economical tubular handle (SC Series).

Both designs meet the requirements of ANSI, NFPA30, OSHA 29CFR 1910.106, OSHA 29CFR 1926.125 and are FM and UL30 approved. For precision pouring check out our selection of metal and polyethylene funnels. (Using Type I cans for regular pouring through a funnel does not provide a closed vapor control system achieved when using a SP Safety Pour Filling Container Type II can).

Standard Handle



Model No.	Cap. Gallons	Dia.	HT.	Approval Listing
SS 100	1	9"	12"	FM, UL, ULC
SS 102	2	9"	16.25"	FM, UL, ULC
SS 150	2.5	12"	14.50"	FM, UL, ULC
SS 103	3	12"	15.50"	FM, UL, ULC
SS 105	5	12"	19.50"	FM, UL, ULC

ADDITIONAL COLORS AVAILABLE
 Diesel - Yellow • Kerosene - Blue
 Pesticide - Green

Tubular Handle



Model No.	Cap. Gallons	Dia.	HT.	Approval Listing
SC-1000	1	9"	10.25"	FM, UL
SC-1020	2	9"	15"	FM, UL
SC-1025	2.5	12"	13.25"	FM, UL
SC-1030	3	12"	14.25"	FM, UL
SC-1050	5	12"	18"	FM, UL

ADDITIONAL COLORS AVAILABLE
 Diesel - Yellow • Kerosene - Blue
 Pesticide - Green

D.O.T. / Transport / Jerrican - Safety Cans

Safe-T-Way transport models are authorized and approved for highway transportation of class II flammable liquids. Our exclusive full body shield protects both the fill and pour spouts from damage during transport. The Safe-T-Way Jerrican is "Unmatched" in meeting UN, D.O.T. and OSHA requirements. Cans are UL 30 listed and have 3rd party certification for compliance in HM-181 based on UN recommendations on transport of hazardous materials.



Model No.	Cap. Gallons	Dia.	HT.	Standard Hose	Approval Listing
STJ 2010	1	10" x 14"	8.50"	6" (R3406)	UL
STJ 2020	2	10" x 14"	10"	6" (R3406)	UL
STJ 2025	2.5	10" x 14"	11"	9" (R3409)	UL
STJ 2050	5	10" x 14"	16"	9" (R3409)	UL

ADDITIONAL COLORS AVAILABLE
 Diesel - Yellow • Kerosene - Blue

NEW - OPTIONAL CARRY HANDLES "RR"

DOT/Transport - Round Safety Cans / Hazcan Safety Can / Convertible Closure

The Safe-T-Way round DOT transport cans have our exclusive full body shield protecting both the fill and pour spouts from damage during transport. Cans are UL 30 listed to meet requirements of DOT CFR 40 and UN HM181 compliance. Safe-T-Way Haz-can has a unique convertible closure which allows the user to unscrew the fill spout assembly and replace it with a pressure vent cap for a tight seal. A brass wrench is included to remove the fill spout. This can has a 3rd party lab tested certification with embossed UN identification number on the side of the can in accordance with DOT CFR 49 and UN/IMO certification under HM181 for transporting hazardous materials.



STR 2050

SHR 50189

Model No.	Cap. Gallons	Dia.	HT.	Standard Hose
STR 2010	1	12"	13"	6" (R3406)
STR 2025	2.5	12"	14"	9" (R3409)
STR 2050	5	12"	18.25"	9" (R3409)
SHR 10040	1	12"	13"	6" (R3406)
SHR 25095	2.5	12"	14"	9" (R3409)
SHR 50189	5	12"	18.25"	9" (R3409)

ADDITIONAL COLORS AVAILABLE
Diesel - Yellow • Kerosene - Blue

Disposal Can - Safety Storage

Disposal cans are used for the temporary storage of flammable liquid waste until safely disposed. This can was designed with the user in mind. It features a funnel for quick hands free disposal. A "New" funnel assembly has been added as an option to the disposal can. This funnel is made of polyethylene and is 14" in diameter with a telescopic tube to adjust the height to max extension of 48". This new funnel assembly allows the disposal can to be more versatile in its use.



Model No.	Cap. Gallons	Dia.	HT.
SSD 1030	3	12"	13"
SSD 1050	5	12"	16.50"

ADDITIONAL COLORS AVAILABLE
Diesel - Yellow
Kerosene - Blue
Pesticide - Green

Accessories

Model No.	Description
DF-5	Disposal Funnel 3 qt. galvanized
F 14DC	Drain Funnel 14" Poly - Adjustable Ht.

Faucet Can - Safety Dispensing

Our faucet cans are available in four sizes and come standard with a self-closing, rigid brass faucet. These cans are used on shelves or bench tops to pour flammable liquids into smaller containers, without tipping or handling the can. Additional self-closing faucets are available in rigid brass and zinc.



Model No.	Cap. Gallons	Dia.	HT.
SSF 100	1	9"	12"
SSF 102	2	9"	16"
SSF 103	3	12"	15.50"
SSF 105	5	12"	19.50"

ADDITIONAL COLORS AVAILABLE
Diesel - Yellow
Kerosene - Blue
Pesticide - Green

Accessories

Model No.	Description
BRF-34	Rigid Brass Faucet self closing (3/4" Thread)
ZNF-34	Zinc Faucet (3/4" Thread)

Safety Can Accessories

We offer a variety of funnels, nozzles and flash arrestors for our cans.

New BST-1014



Model No.	Description
BST-1014	Truck Mounting Bracket for transport of Jerrican
F-346	Type I Metal Pour Funnel with 3/4"x6" flexible metal hose (fits 1 & 2 gallon - Type I)
F-347	Type I Metal Pour Funnel with 3/4"x10" flexible metal hose (fits 2 1/2, 3 & 5 gallon - Type I)
PPF-346	Type I Metal Point & Pour Funnel 3/4"x6" flexible hose (fits all cans)
PPF-8	Type I Point-N-Pour Polyethylene Funnel 8 1/4" long
R-3406	Type II Metal Flex Hose, 3/4"x6" (standard with 1 & 2 gallon Safety-Pour Filling Cans - Type II)
R-3409	Type II Metal Flex Hose, 3/4"x9" (standard with 2.5, 3 & 5 gallon Safety-Pour Filling Cans - Type II)
R-112	Type II Metal Flex Hose, 1"x12" (optional for 5 gallon Safety-Pour Filling Can - Type II)
DF-5	Disposal Funnel for Drain Can 3/4" thread - outlet on bottom
S-45	5.5" Twist-lock Flash Arrestor for 1 gallon cans
S-47	7" Twist-lock Full Flow Flash Arrestor for 2-5 gallon cans



Safe-T-Way's production and maintenance line offers high quality products built to withstand the everyday cleaning, dipping and soaking in any industrial environment. We have a great selection of parts washers, drip cans, dip and rinse tanks.

Bench Cans (with dasher plate)

Bench cans are used for cleaning small parts. They are equipped with a spring loaded "perforated" plunger screen to submerge parts or wipers in solvent. Dasher plate doubles as a fire obstructer.



Model No.	Description	Dia.	Depth	Dasher Plate	Operation
BN/4	1 gal., Bench Mount	8"	5	1	Manual.
BN/2	2 qt., Bench Mount	8"	3	1	Manual

**Also available in Safety Yellow.*

Drum Drip Cans

Drum drip cans are placed under drum faucets to catch any spills. They are equipped with flash arrestors as a fire safety precaution.



Model No.	Description	Dia.	Depth	Screen
DR/4	1 gal., Drip Can	8"	5	1
DR/2	2 qt., Drip Can	8"	3	1

**Also available in Safety Yellow.*

Parts Washers

Our bench mount parts washers are available in three sizes to accommodate a variety of small jobs. Just place parts in enclosed basket lower and lift. Leave the basket in the upper position to allow excess solvent to drip out. Cans are round with a fusible link self-closing lid.



Model No.	Description	Dia.	Depth	Basket	Operation
PW-1325	1 gal., Bench Mount	11.4"	8	Incl.	Fuse Link
PW-2650	2.5 gal., Bench Mount	11.4"	13	Incl.	Fuse Link
PW-5250	5 gal., Bench Mount	14.4"	13	Incl.	Fuse Link

**Also available in Safety Yellow.*

Dip Tanks

Dip tanks have the same duty as our parts washer only on a larger scale. They can be easily moved from one location to another. Dip tanks have a fusible link self-closing lid. Optional parts basket available.



Model No.	Description	Dia.	Depth	Operation
DT-2603	2 gal., Bench Mount	11.4"	8	Fuse Link
DT-5204	3.5 gal., Bench Mount	11.4"	13	Fuse Link
DT-10408	7 gal., Bench Mount	14.4"	13	Fuse Link

**Baskets available at additional cost.
Also available in Safety Yellow.

Baskets - Tank Stand

Parts baskets have a perforated metal bottom with two handles for easy use in dipping in parts washers or dip tanks to clean a variety of small parts in one operation.



Model No.	Description	Dimensions (Diameter-in.)
B-1125	Basket for 2 gallon dip tank	3.1 x 9.1 x 2.5
B-1150	Basket for 3.5 gallon dip tank	5.3 x 9.1 x 4.5
B-1450	Basket for 7 gallon dip tank	5.5 x 11.2 x 4.7
TS-22	22 lb. Tank Stand	28 x 18 x 16

Oily-Waste - Fire Extinguishing Covers & Receptacles - Snuff-It Cans



Waste Collection & Disposal

Disposal of hazardous waste is a huge concern for all industrial personnel. We offer high quality waste collection and disposal products. In fact we believe so strongly in our products that you will find them in use all around our facility.

Oily Waste Safety Cans

Oily waste cans offer a temporary means of disposal for rags and wiping materials soaked in flammable liquids. Lids are self-closing and bottoms are raised and vented to allow airflow under can. Available in hand or foot control.



Model No.	Description	Dimensions (Dia.xH-in.)
SFC-6	6 gal., Foot Control	12 x 20
SHC-6	6 gal., Hand Control	12 x 20
SFC-10	10 gal., Foot Control	14 x 21
SHC-10	10 gal., Hand Control	14 x 21
SFC-15	15 gal., Foot Control	18 x 24
SHC-15	15 gal., Hand Control	18 x 24
SFC-21	21 gal., Foot Control	19 x 25
SHC-21	21 gal., Hand Control	19 x 25

**Also available in Safety Yellow.*

Fire Extinguishing Waste Receptacles & Drum Cover

Fire extinguishing waste receptacles, complete with brushed aluminum cover offer excellent fire protection in schools, hospitals or anywhere solvent free wastage collects. If a fire ignites inside the receptacle, our specially contoured drum cover pushes smoke down into the can, cutting off oxygen and extinguishing the fire. Optional accessories debris guard and drum dolly.

Fire extinguishing drum covers are available separately and are available in steel or brushed aluminum.

Model No.	Description	Drum O.D.	Top Opening Diameter	Approval	Color/Finish
SC-4	4 gal. Cover, Painted Steel	11.5"	4.75"	FM	Grey
AC-4	4 gal. Cover, Aluminum	11.5"	4.75"	FM	Aluminum
SC-6	6 gal. Cover, Painted Steel	11.5"	4.75"	FM	Grey
AC-6	6 gal. Cover, Aluminum	11.5"	4.75"	FM	Aluminum
SC-1215	12 or 15 gal. Cover, Painted Steel	14.5"	6.5"	FM	Grey
AC-1215	12 or 15 gal. Cover, Aluminum	14.5"	6.5"	FM	Brushed
SC-30	30 gal. Cover, Painted Steel	19.25"	9"	FM	Red
AC-30	30 gal. Cover, Aluminum	19.25"	9"	FM	Brushed
SC-55	55 gal. Cover, Painted Steel	23.5"	11"	FM	Red
AC-55	55 gal. Cover, Aluminum	23.5"	11"	FM	Brushed



Model No.	Description
D-4	4 Gallon Drum With Aluminum Cover
D-6	6 Gallon Drum With Aluminum Cover
D-12	12 Gallon Drum With Aluminum Cover
D-15	15 Gallon Drum With Aluminum Cover
D-30	30 Gallon Drum With Aluminum Cover
D-55	55 Gallon Drum With Aluminum Cover

Accessories

Model No.	Description
DBG-5	Debris Guard for 5 gallon drum, cover, chrome
DLY-55	Drum Dolly for up to 55 gallon drum, 500 cap.

Snuff-It Can - Receptacle

Snuff it cans are ideal for use in the workplace. Lack of oxygen in the can extinguishes butts. Large design allows for infrequent emptying. Replacement tube available.



Model No.	Capacity	Diameter	Height	Color/Finish	# per Carton
SNU-1025	2.5 Gallon	12"	30"	Safety Yellow	1
SNU-1050	5 Gallons	12"	35"	Safety Yellow	1
Replacement Tube					
SNT-1321		1.3"	21"	Safety Yellow	1

**Also available in Beige.*

Storage For: Safety Cans - Paint & Ink - Drum - Acid - Pesticide - Gas Cylinders

NFPA 30 Storage Cabinets for Flammables

Provides safe management of vapor hazards and permits storage of flammable liquids closer to work areas.

Substantial benefits can be realized from the organization of scattered odd lots and savings in material handling costs due to expensive time consuming trips to unsupervised remote or separate storage buildings.


Check these features:

- Painted with **safety yellow enamel** for high visibility. Gas storage cabinets and acid cabinets are painted the **standard blue**.
- Cabinets plainly marked with large **bright red warnings** "FLAMMABLE KEEP FIRE AWAY".
- **Adjustable galvanized shelves** permit storing various containers. Extra shelves are available.
- All cabinets **double-door** style, with 3-point locks for *positive* closure.
- **Double-wall construction.**

- **Meets NFPA 30** for compliance of OSHA 29 CFR 1910.106(d) self closing models meet UFC 79




TYPE HDW
Hollow Double Wall Models



18-gauge double-wall construction with a minimum of 1-1/2 inch of dead-air space between walls. Interior temperature 325° in 10 minutes fire exposure test.

GAS CYLINDER CABINETS



Storage for gas tanks and cylinders. Open mesh sidewall construction allows any vapors to disperse, avoiding build-up

- **2-inch threaded vents**, one on each side, with fire-baffle covers provide safe, controllable ventilation.

- **Door sills** raised 2 inches above the bottom of the cabinet to form a liquid-tight well.
- **Four adjustable leveling feet.**
- Each cabinet comes **individually cartoned.**

Your investment in SAFE-T-WAY high quality NFPA 30 Storage Cabinets and Safety Cans is a wise management decision that safeguards your employees, plant, and equipment against the hazards always present in using and storing flammable liquids and the accompanying hazardous vapors.

Compliance with AHJ requirements - NFPA 30 Storage Cabinets and Safety Cans help you comply with the requirements of "Authorities Having Jurisdiction." As a result, you avoid the time-consuming paperwork and possible costly fines that result from non-compliance.

Insurance - NFPA 30 Storage cabinets and Safety cans give you and your insurance carrier valuable (and often money-saving) peace of mind from disaster that otherwise could be just around the corner.

Safety - NFPA 30 Storage Cabinets and Safety Cans help assure safer management by organizing usable quantities of flammable and volatile materials closer to work areas.

Improved ROI - NFPA 30 Storage Cabinets and Safety Cans pay off through substantial savings in material handling costs by eliminating time-consuming trips to often-unsupervised remote storage areas.

SAFE-T-WAY is a leader in providing well manufactured NFPA 30 Storage Cabinets and Safety Cans. Our commitment to Hazardous Chemical Containment is "unmatched". The superior value and quality of SAFE-T-WAY is your best investment.

Flammable Liquid Supply Storage

Safety Can Storage Cabinets (Yellow)

Safe-T-Way's Flammable liquid cabinets are for storing flammable liquids. They are painted safety yellow for high visibility and are marked "FLAMMABLE KEEP FIRE AWAY". Our cabinets feature a double wall construction, adjustable shelves, grounding connections, upper and lower flame arrestors, leak proof sills, and three point latching doors. Cabinets are available with manual, self-closing or sliding door. Additional shelves optional. Meets NFPA Code 30.



Model No.	Capacity	Dimensions (HxWxD-in.)	Doors	# of Shelves
HMV3065	30 gal.	44 x 43 x 18	2 Manual	1
HSL3065	30 gal.	44 x 43 x 18	1 Sliding	1
HSC3065	30 gal.	46 x 43 x 18	2 Self Closing	1
HMV4595	45 gal.	65 x 43 x 18	2 Manual	2
HSL4595	45 gal.	65 x 43 x 18	1 Sliding	2
HSC4595	45 gal.	67 x 43 x 18	2 Self Closing	2
HMV60125	60 gal.	65 x 34 x 34	2 Manual	2
HSL60125	60 gal.	65 x 34 x 34	1 Sliding	2
HSC60125	60 gal.	67 x 34 x 34	2 Self Closing	2
HMV90185	90 gal.	65 x 43 x 34	2 Manual	2
HSL90185	90 gal.	65 x 43 x 34	1 Sliding	2
HSC90185	90 gal.	67 x 43 x 34	2 Self Closing	2

Paint Or Ink Storage Cabinets (Red)

Our Paint and Ink cabinets are for the storage of paint and inks. It is painted bright red and labeled "FLAMMABLE LIQUID KEEP FIRE AWAY". They feature a double wall construction, adjustable shelves, grounding connections, upper and lower flame arrestors, leak proof sills, and three point latching doors. Cabinets are available with manual, self-closing or sliding door. Additional shelves optional. Meets NFPA Code 30.



Available in Yellow

Model No.	Capacity	Dimensions (HxWxD-in.)	Doors	# of Shelves
HMV20P	20 gal.	44 x 24 x 18	2 Manual	2
HSC20P	20 gal.	46 x 24 x 18	1 Self Closing	2
HMV40P	40 gal.	44 x 43 x 18	2 Manual	3
HSL40P	40 gal.	44 x 43 x 18	1 Sliding	3
HSC40P	40 gal.	46 x 43 x 18	1 Self Closing	3
HMV60P	60 gal.	65 x 43 x 18	2 Manual	5
HSL60P	60 gal.	65 x 43 x 18	1 Sliding	5
HSC60P	60 gal.	67 x 43 x 18	2 Self Closing	5
HMV120P	120 gal.	65 x 34 x 34	2 Manual	5
HSL120P	120 gal.	65 x 34 x 34	1 Sliding	5
HSC120P	120 gal.	67 x 34 x 34	2 Self Closing	5

Bench & Under Table Cabinets (Yellow)

These cabinets are a smaller version of our safety can storage cabinets. They are great for storing cans safely where space is limited. Features a double wall construction, adjustable shelves, grounding connections, upper and lower flame arrestors, leak proof sills, and three point latching doors. Cabinets are available with a manual or self-closing door. Meets NFPA Code 30.



Model No.	Capacity	Dimensions (HxWxD-in.)	Doors	# of Shelves
HMV4B	4 gal.	22 x 17 x 18	1 Manual	1
HSC4B	4 gal.	24 x 17 x 18	1 Self Closing	1
HMV12B	12 gal.	35 x 24 x 18	1 Manual	1
HSC12B	12 gal.	37 x 24 x 18	1 Self Closing	1
HMV16B	16 gal.	44 x 24 x 18	1 Manual	1
HSC16B	16 gal.	44 x 24 x 18	1 Self Closing	1

Wall Mounted & Stackable Cabinets (Yellow)

These cabinets are compact in size with maximum storage capacity of flammable or combustible liquids without taking up valuable floor space. Wall mount cabinets are furnished with brackets which makes wall mounting easy. Stackable cabinets are designed so you can place them on a standard 30 gallon cabinet or when placed on top of each other will increase your current capacity and help segregate the flammables. Meets NFPA Code 30.



Model No.	Capacity	Dimensions (HxWxD-in.)	Doors	# of Shelves
HMV12W	12 gal.	18 x 43 x 18	2 Manual	1
HMV18W	18 gal.	24 x 43 x 18	2 Manual	1
HMV24W	24 gal.	44 x 43 x 12	2 Manual	5
HSC24W	24 gal.	46 x 43 x 12	1 Self Closing	5

Standard Drum Storage Cabinets (Yellow)

Drum storage cabinets are designed to safely store 55 gallon drums of flammable or hazardous materials. Vertical cabinets have one shelf included which allows you to store up to twelve 5 gallon safety cans with a 55 gallon drum. Horizontal cabinets store one 55 gallon drum. Horizontal cabinets have tracks to guide for a drum cradle. Drum cradles are available. Door options to choose from are single, double, bi-fold shelf latching and/or self closing. Meets NFPA Code 30.



Model No.	Capacity	Dimensions (HxWxD-in.)	Doors	# of Shelves
HMV60	60 gal. Horiz.	50 x 34 x 50	2 Manual	0
HSL60	60 gal. Horiz.	50 x 34 x 50	1 Sliding	0
HSC60	60 gal. Horiz.	52 x 34 x 50	2 Self Closing	0
HMV65	65 gal. Vert.	65 x 34 x 34	2 Manual	1
HSL65	65 gal. Vert.	65 x 34 x 34	1 Sliding	1
HSC65	65 gal. Vert.	67 x 34 x 34	2 Self Closing	1
HMV75	75 gal. Vert.	65 x 43 x 34	2 Manual	1
HSL75	75 gal. Vert.	65 x 43 x 34	1 Sliding	1
HSC75	75 gal. Vert.	67 x 43 x 34	2 Self Closing	1
HMV120	120 gal. Vert.	65 x 59 x 34	2 Manual	1
HSC120	120 gal. Vert.	67 x 59 x 34	2 Self Closing	1

Acid/Corrosive Cabinets (Blue)

Acid and corrosive cabinets are for the storage of acids and corrosives. They are painted with acid resistant blue paint and marked "CAUTION CORROSIVES". This cabinet is equipped with high-density polyethylene trays as an added protection for the shelves. Cabinets are available with manual, sliding and self-closing doors. Meets NFPA Code 30.



Model No.	Capacity	Dimensions (HxWxD-in.)	Doors	# of Shelves
HMV24A*	24 gal.	36 x 35 x 22	2 Manual	1
HSC24A*	24 gal.	36 x 35 x 22	2 Self Closing	1
HMV30A	30 gal.	44 x 43 x 18	2 Manual	1
HSL30A	30 gal.	44 x 43 x 18	1 Sliding	1
HSC30A	30 gal.	46 x 43 x 18	2 Self Closing	1
HMV45A	45 gal.	65 x 43 x 18	2 Manual	2
HSL45A	45 gal.	65 x 43 x 18	1 Sliding	2
HSC45A	45 gal.	67 x 43 x 18	2 Self Closing	2
HMV60A	60 gal.	65 x 34 x 34	2 Manual	2
HSL60A	60 gal.	65 x 34 x 34	1 Sliding	2
HSC60A	60 gal.	67 x 34 x 34	2 Self Closing	2

*No FM Approved

Pesticide Cabinets (Green)

Pesticide cabinets are used for storing pesticides. They are painted green and marked "FLAMMABLE KEEP FIRE AWAY PESTICIDES". Cabinets are available with manual, self-closing and sliding doors. Meets NFPA Code 30.



Model No.	Capacity	Dimensions (HxWxD-in.)	Doors	# of Shelves
HMV30PEST	30 gal.	44 x 43 x 18	2 Manual	1
HSC30PEST	30 gal.	46 x 43 x 18	2 Self Closing	1
HMV45PEST	45 gal.	65 x 43 x 18	2 Manual	2
HSC45PEST	45 gal.	67 x 43 x 18	2 Self Closing	2
HMV60PEST*	60 gal.	65 x 34 x 34	2 Manual	2
HSC60PEST*	60 gal.	67 x 34 x 34	2 Self Closing	2

Gas Cylinder Cabinets For Storing LP & Welding Gas

Gas Cylinder cabinets are used for storing LP and welding gas. They are made of heavy gauge steel or aluminum and are marked "FLAMMABLE KEEP FIRE AWAY FULL CYLINDERS NO SMOKING".



Model No.	Description	Dimensions (HxWxD-in.)	Max. No. Cylinders	Doors
2LPV	2 cyl. Vertical	35 X 30 X 18	2	1 Manual
4LPV	4 cyl. Vertical	35 X 30 X 30	4	1 Manual
4LP	4 cyl. Horizontal	37 X 33 X 38	4	1 Manual
8LP	8 cyl. Horizontal	70 x 33 x 38	8	1 Manual
12LP	12 cyl. Horizontal	70 x 49 x 38	12	2 Manual
16LP	16 cyl. Horizontal	70 x 65 x 38	16	2 Manual
STWG10	5-10 Weld Gas Vertical	70 x 33 x 38	5-10	1 Manual
STWG20	10-20 Weld Gas Vertical	70 x 60 x 38	10-20	2 Manual

Cabinet Accessories

SAFE-T-WAY offers a large selection of cabinet accessories for any size cabinet, from shelves to replacement parts and everything in between. Special order items are available on request.



Model No.	Description
S-4	Extra Shelf for 4 Gallon Cabinet
S-12160	Extra Shelf for 12, 16, & 20 Gallon Cabinets
S-3045	Extra Shelf for 30 & 45 Gallon Cabinets
S-60	Extra Shelf for 60 Gallon Cabinet
S-90	Extra Shelf for 90 Gallon Cabinet
SA-24	Extra Shelf for 24 Gallon Acid Cabinets (includes Spill Tray)
SA-3045	Extra Shelf for 30 & 45 Gallon Acid Cabinets (includes Spill Tray)
SA-60	Extra Shelf for 60 Gallon Acid Cabinets (includes Spill Tray)
SW	Extra Shelf for Wall Mount
P-24	Containment Tray for 24 Gallon Cabinet
P-3045	Spill Tray for 30 & 40 Gallon Cabinets
P-60	Spill Tray for 60 Gallon Cabinet

Drum Accessories

Drum Accessories

We have funnels, cradles, wrenches, rotary pumps, grounding wire, and relief plugs. You're sure to find exactly what your looking for.

***NOTE:** Do not use with chlorinated solvents. Standard O-rings will not tolerate acetates, ethers, ketone, plasticizers, aromatic solvents. Other O-rings available. Consult Sales Office.



Model No.	Description
F-12FCL	Drum Funnel with fusible link self-closing lid for 2" threaded drum flange & 6" flash arrestor, red
DC-55	Horizontal Drum Cradle with lifting handle
DW-114	Drum Plug Wrench (spark resistant) with 1.25 open end faucet wrench
BRF-34	Drum Safety Faucet, rigid brass self closing
ZNF-34	Drum Safety Faucet, (3/4" thread) zinc
DP-35	Drum Pressure Relief Plug, 2" diameter threads (min. 3psi/max. 5psi)
RPH	Rotary Pump*, 8'x3/4" hose, 10 gallon/115 rev.
RPS	Rotary Pump*, spout & drip pan, 10 gallon/116 rev.
PPS	Piston Pump*, fixed spout, 25 gallon/100 strokes
GW-AA	Grounding Wire, 3" with dual alligator clips
GW-TA	Grounding Wire, 3" with terminal & alligator clip
GW-CA	Grounding Wire, 3" with c-clamp & alligator clip
CG-AA	Grounding Wire, 10" coil with dual alligator clips
CG-TA	Grounding Wire, 10" coil with terminal & alligator clip
CG-CA	Grounding Wire, 10" coil with c-clamp & alligator clip

Unmatched Safe-T-Way Principles**THE FOUNDATION**

In 1951 Safeway Safety Products decided to start manufacturing safety cans to sell on the open market. They did this successfully for the next twenty-four years. In 1975 Cooper Industries purchased the safety can product line. As the new manufacturer, their primary focus was toward developing a reputation for designing and manufacturing quality safety products under the highly regarded name of Safe-T-Way™. After twenty-five years of building the name recognition for Safe-T-Way™ quality safety products the owner decided to sell the product line and retire.

A NEW ATTITUDE

On October 1, 2000 Safeway Products, Inc purchased Safe-T-Way™ product line. Safeway Products knew in order to move to the next level for Safe-T-Way™ products they had to develop a "new attitude" to make positive changes in all aspects of design, manufacturing, price, and service without comprising the fine quality that has always been a selling feature for Safe-T-Way™ in the past.

Design

A renewed emphasis is now placed on creating innovative new product designs. In addition, new safety products were added to complement the existing line of products. Existing products have been updated with new features.

Manufacturing

We moved our manufacturing operation to a larger facility along with adding new equipment which allowed us to increase our production capabilities. These changes have become beneficial in our ability to quickly respond to the manufacturing needs of our customers. We became more concerned with solving customers problems and less concerned with just selling product.

Service

Have you ever been forced to buy from a master distributor (your competitor) because you did not have the buying power you needed? If so our new service philosophy may appeal to you. Treat all customers the same. If you are a distributor purchasing one item or a thousand, you can expect the same high level of service with no annual minimums. We have also shortened our lead times on shipping. We realize that many times the order goes to the business that can deliver on time.

Pricing


We've sharpened our pencils. In order to drive down cost we have taken advantage of new manufacturing efficiencies to provide the most affordable safety products available.

*Before placing your next order. Consider Safeway Products.
The company with a refreshing new attitude.*

(800) 894-7233

LIMITED WARRANTY

All Safeway Products merchandise are covered by a limited warranty for a period of one year from date of purchase. All safety cans are covered by a limited warranty for a period of 10 years from the date of purchase. Limited warranty applies to replacement of products only. Warranty only applies to the original user and only the original user. Warranty does not apply to any products which have been subjected to misuse or severe treatment, including, but not limited to, products used with materials such as liquids that are not recommended by the manufacturer in published product descriptions, products which have been altered in any way by the user or used in a manner inconsistent with their intended use. THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL SAFEWAY PRODUCTS, INC. BE LIABLE FOR ANY LOSS OF PROFITS OR ANY INDIRECT OR CONSEQUENTIAL DAMAGES AND/OR OTHER SIMILAR DAMAGES ARISING OUT OF ANY SUCH DEFECT IN MATERIAL OR WORKMANSHIP.



SAFEWAY

PRODUCTS, INC.

1810 - 15th Avenue
Rockford, IL 61104
Phone: 800/894-7233
Fax: 800/721-7216

www.safewayproductsinc.com